	Application No.	Applicant(s)
Notice of Allowability	10/051,973	KITAYAMA ET AL.
	Examiner	Art Unit
	David S. Warren	2837
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included now will be mailed in due course. THIS
1. This communication is responsive to 7/11/05.		
2. The allowed claim(s) is/are <u>1-48 and 50-56</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> </ul>		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/4/05,7/11/05,4/8/65</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☐ Examiner's Amenda	te

Application/Control Number: 10/051,973

Art Unit: 2837

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 1 - 48 and 50 - 56 are allowed.

The following is an examiner's statement of reasons for allowance: Regarding claims 1, 2, 8, 10, 11, and 27 - 53, reasons for allowance were indicated in the previous Office Action (mailed March 10, 2005). Regarding claims 3, 9, and 12, the prior art does not disclose the use of performing an amplitude conversion process on the envelope for reducing an amplitude difference in the envelope and determining dividing positions on the basis of differentiated results of the envelope subjected to the amplitude conversion process. The Examiner notes that the prior art produces square wave (or pulse train) signals from envelopes, which effectively eliminates any amplitude differences (for example, see Yamada's fig. 6D). However, this method would not allow meaningful results to come from a "differentiated result" as claimed. Thus, the Examiner notes the importance of Applicant's "reducing" (i.e., not "eliminating"). The Applicant has clarified this process in specification paragraph [0146], which states: "...the edge portions may be detected by any other suitable filter process that is arranged to generate values corresponding to envelope inclinations. For example, there may be performed a filter process for simply differentiating the envelope levels, and a low-pass filter processes for processing the differentiated results." [Emphasis added] The square wave (or pulse train) method of the prior art would not would not generate values corresponding to envelope inclinations. Regarding claims 13, 18, 23, 24, 25, and 26, the prior art does not disclose the use of identifying sections and

Art Unit: 2837

extracting a rise position within one section and providing a correspondence with another presumed beat position in another section. Regarding new claims 54 and 56, the prior art does not disclose the use of starting a performance based on the "expansion/contraction rate of a tempo."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David S. Warren whose telephone number is 571-272-2076. The examiner can normally be reached on M-F, 9:30 A.M. to 6:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on 571-272-2800 ext 37. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2837

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dsw